

Omaha / Kansas City Stocking Items

TJI

11.88" TJI 110 – 24, 28, 32, 36, 40

14" TJI 110 – 20, 24, 34, 38

9.5" TJI 210 – 16' – 36', 40, 44, 48

11.88" TJI 210 – 16' – 40' 44, 48

14" TJI 210 – 24' – 48' (by 4')

11.88: TJI 360 – 20' – 40', 44, 48

14" TJI 360 – 24' – 48' (by 4')

16" TJI 360 – 28' – 48' (by 4')

11.88" TJI 560 – 28' – 48' (by 4')

14" TJI 560 – 40' – 48'

Microllam (WSO)

9.25" – 12' – 28', 36, 40, 48

9.5" - 12' – 28', 36, 40, 48

11.25" – 48'

11.88" - 12' – 28', 36, 40, 48

14" – 14'-28, 36, 40, 48

16" – 16' – 28, 36, 40, 48

18" - 16' – 28, 36, 40, 48

20" – 36' – 48'

24" – limited lengths

Rimboard

1.125"x 9.5", 11.88", 14", 16"

1.25" x 11.88", 14", 16"

Timberstrand LSL Columns

3.5 x 5.5 – 16, 24, 32

Timberstrand 1.55 Headers

1.75 x 11.88 – 20', 24

3.5 x 9.5 – 48'

3.5 x 11.88 – 20', 24

3.5 x 9.5 – 48

3.5 – 11.88 – 48

Timberstrand Wall Framing

1.5 x 3.5 – 12, 16, 20, 24

1.5 x 5.5 – 16-24, 32

1.5 x 7.25 – 20, 24, 32

1.5 x 9.5 – 28' – 40' (by 4')

1.5 x 11.88 – 16, 24' – 48 (by 4')

1.5 x 3.5 – 92 5/8, 105 5/8, 116 5/8

1.5 x 5.5 – 92 5/8, 104 5/8, 116 5/8

Timberstrand Strandguard

1.5 x 3.5, 5.5, 7.25

Parallam

3.5 x 9.25 – 8-40, 48

3.5 – 9.5" - 8-40, 48

3.5 x 11.25 - 8-40, 48

3.5 x 11.88 - 8-40, 48

3.5 x 14 - 8-40, 48

3.5 x 16 – 12-40, 44, 48

3.5 x 18 – 18-40, 44, 48

5.25 x 9.25 – 8-40, 48

5.25 x 9.5 - 8-40, 48

5.25 x 11.25 - 8-40, 48

5.25 x 11.88 - 8-40, 48

5.25 x 14 – 12-40, 44, 48

5.25 x 16 - 12-40, 44, 48

5.25 x 18 - 12-40, 44, 48

Parallam Columns

3.5 x 3.5 – 10, 12, 20, 24

3.5 x 5.25 - 10, 12, 20, 24

3.5 x 7 - 10, 12, 20, 24

5.25 x 5.25 – 10, 12, 20, 24

5.25 x 7 - 10, 12, 20, 24

7 x 7 – 20, 24