



**Home Innovation**  
NGBS GREEN CERTIFIED™

THIS IS TO SIGNIFY THAT THE FOLLOWING  
PRODUCTS FOR RESIDENTIAL CONSTRUCTION

**WEYERHAEUSER FLOORING AND SHEATHING--  
EDGE(TM), EDGE GOLD(TM), RADIANT BARRIER**

MANUFACTURED BY  
**WEYERHAEUSER**

HAVE BEEN CERTIFIED FOR POINTS TOWARD NGBS GREEN  
CERTIFICATION TO THE ICC 700 NATIONAL GREEN BUILDING  
STANDARD AS DETAILED IN NGBS GREEN CERTIFIED  
PRODUCT REPORT #NGBSGCP-00001.

Thomas M. Kenney, P.E. – VP Research & Engineering

January 19, 2009

Approval Date

December 31, 2017

Expiration Date

**CERTIFICATE #000001**

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certified Product Report #NGBSGCP-000001

Products: Weyerhaeuser Flooring and Sheathing--Edge(TM), Edge Gold(TM), Radiant Barrier

Manufacturer: Weyerhaeuser

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2008 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2008 NGBS 606.1	Biobased products are used. 8 points maximum awarded.	6	To earn 6 points this product must be at least 1% of the construction material cost AND another bio-based product, also at 1% of material cost, must be used. Lesser points are available at the 0.5% level.
2008 NGBS 606.2(2)	A minimum of 2 wood or wood-based products used for major elements are certified to the requirements of a recognized product program.	4	To earn 4 points a second certified wood product must also be used as a major element for 4 points. Lesser points available for use with a minor element.
2008 NGBS 606.3	Materials used for major components are manufactured using a min. of 33% of the primary manufacturing process energy from renewable sources, combustible waste sources, or renewable energy credits (RECs).	2	Product must be used as a major component of the building.
2008 NGBS 607.1	Products containing fewer materials are used to achieve the same end-use requirements as conventional products.	3	At least 80% of sheathing in the building is this product.
2008 NGBS 609.1	A more environmentally preferable product selected based upon a Life Cycle Assessment (LCA).	3	None.
2008 NGBS 901.4(1)	Structural use plywood per PS 1 or PS 2. OSB per PS 2. All marked Exposure 1 or Exterior. Mandatory for certification.	Mandatory	A minimum of 85% of OSB in the building is this product.
2008 NGBS 901.4(2-6)	Structural use plywood per PS 1 or PS 2. OSB per PS 2. All marked Exposure 1 or Exterior. Mandatory for certification.	4	A minimum of 85% of OSB in the building is this product.

2012 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2012 NGBS 606.1	Biobased products are used. 8 points maximum awarded	6	To earn 6 points this product must be at least 1% of the construction material cost AND another bio-based product, also at 1% of material cost, must be used. Lesser points are available at the 0.5% level.
2012 NGBS 606.2(2)	A minimum of 2 wood or wood-based products used for major elements are certified to the requirements of a recognized product program.	4	To earn 4 points a second certified wood product must also be used as a major element for 4 points. Lesser points available for use with a minor element.
2012 NGBS 606.3	Materials used for major components are manufactured using a min. of 33% of the primary manufacturing process energy from renewable sources, combustible waste sources, or renewable energy credits (RECs).	2	Product must be used as a major component of the building.
2012 NGBS 608.1	Products containing fewer materials are used to achieve the same end use requirements.	3	At least 80% of sheathing in the building is this product.
2012 NGBS 610.1.2.1	A product with improved environmental impact measures compared to another product is selected.	3	None.
2012 NGBS 901.4(1)	Structural use plywood per PS 1 or PS 2. OSB per PS 2. All marked Exposure 1 or Exterior. Mandatory for certification.	Mandatory	A minimum of 85% of OSB in the building is this product.
2012 NGBS 901.4(2-6)	A minimum of 85% of material within a product group (i.e., wood structural panels, countertops, composite trim/doors, custom woodwork, and/or component closet shelving) is manufactured in accordance with the following. 10 points maximum awarded.	4	A minimum of 85% of OSB in the building is this product.